

Quotation UPC
Immediate

6767
Ref NO./Col/Pur/Quo/ /2018
Office of the Dean,
Govt. Medical College, Nagpur.
Date :- 3/4/2018

To,

M/s -----

Sub.:- Submission of quotation for the supply of Chemicals to Pathology
deptt, Govt medical College Nagpur

The undersigned invited sealed quotation for the below on reverse as per enclosed statement for the use of Medical college, Nagpur. on the following terms and conditions...

- 1 The prices quoted should be for delivery at college premises for local dealers and for Nagpur for outaiders
- 2 The prices quoted by inclusive of all taxes, duites payable like custom excise GST. The brakup of the taxes should also be shown separately where necessary. The sales tax and registration No should be quoted in your letters, Exemption of taxes, if on AF form etc be separately attached.
- 3 The serial no of the items should not be changed while quoting rates. You may dropped in item if not interested.
- 4 Rates should be quoted strictly for the items specified in the list and for standard quality of goods. In the case of alternate offer, the detailed specification. Name of manufacturer or make etc. must invariable be stated, specification other than specified in the schedule may be liable for rejection aven thought lowest.
- 5 The quotation submitted will be valid for the period of six months only from the date of acceptance.
- 6 Delivery period should be stated specifically like ready stock, two weeks/four weeks etc and should be firm and supply of stores if ordered should be made with in the stipulated period Failures are liable for dislist from the further offers.
- 7 The quotation received after the due date will not be accepted. The quotation should be submitted in the sealed cover. Unsealed quotation will not be accepted. The last date of receiving the quotation is dt. 10/05/18 at 04 PM.
1200 Hrs

8. Supply of stores should be made in one installment unless otherwise ordered place meal supply will not be accepted. Payment will be made within 4 to 8 weeks after receipt of full quantity and bill in quadruplicates and only satisfactory report of working etc. or part payment will not be accepted. 10 Ltr
- 12 Literature, instructions showing specifications working etc. may also be sent with quotations.

| Sl No | Perticulers of Items | Nos | Department |
|--|---|---------------------|------------------|
| 1. | Biogenex optiplus mimoscopic slides | 1x72 slide /box | 25 Boxes |
| 2 | Super semitive polymer HRP-IHC detection system (HRP-DAB) | 15 ml =150 test/kit | 15 Kit 05 Kit |
| 3 | Super sensitive T M wash buffer | 1000 ml | 8 Ltr |
| 4 | IHC marker Erb B-7/Her2 | 6 ml/vial | 06 vial |
| 5 | IHC Marker Er | 6 ml/vial | 06 vial |
| 6 | IHC Marker Pr | 6 ml/vial | 06 vial |
| <p>Note :- Expiry of the above kit should be two year from the date of delivery</p> | | | |



Dean,
Govt. Medical College, Nagpur